

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 12:01:15 ON 27 AUG 2004

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 12:01:24 ON 27 AUG 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 25 AUG 2004 HIGHEST RN 732955-11-2

DICTIONARY FILE UPDATES: 25 AUG 2004 HIGHEST RN 732955-11-2

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>


Uploading C:\STNEXP4\058192.str

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 12:01:43 FILE 'REGISTRY'
 SAMPLE SCREEN SEARCH COMPLETED - 26588 TO ITERATE

3.8% PROCESSED 1000 ITERATIONS 0 ANSWERS
 INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**
 BATCH **COMPLETE**

PROJECTED ITERATIONS: 522014 TO 541506
 PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=>

Uploading C:\STNEXP4\58192.str

L3 STRUCTURE UPLOADED

=> d

L3 HAS NO ANSWERS

L3 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

```

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH    **COMPLETE**
PROJECTED ITERATIONS:   817 TO    1783
PROJECTED ANSWERS:      0 TO      0

```

```
=> s 13 ful
FULL SEARCH INITIATED 12:03:12 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 1315 TO ITERATE
```

L5 12 SEA SSS FUL L3


LS ANSWER 1 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
RN 649757-31-3 REGISTRY
CN Benzenepropanamide, N,N'-1,8-octanediylbis[α -amino-4-hydroxy-2,6-dimethyl-, dihydrochloride, (α S, α 'S)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C30 H46 N4 O4 . 2 Cl H
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Journal
RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation); USES (Uses)
CRN (573703-41-0)

Cc1cc(C)cc(O)c1CCS(=O)C(=O)NCCCCCCCCCNC(=O)S(=O)C(=O)NCCc1cc(C)c(O)cc1C

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 2 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
RN 649757-28-8 REGISTRY
CN Benzenepropanamide, N,N'-1,2-ethanediylbis[α -amino-4-hydroxy-2,6-dimethyl-, dihydrochloride, (α S, α 'S)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C24 H34 N4 O4 . 2 Cl H
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Journal
RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation);
USES (Uses)
CRN (573703-38-5)

Absolute stereochemistry.




● 2 HCl

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 3 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
RN 577977-70-9 REGISTRY
CN Benzenepropanamide, N,N'-1,6-hexanediylbis[α -amino-4-hydroxy-2,6-dimethyl-, (α S, α 'S)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C28 H42 N4 O4
CI COM
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Journal
RL.NP Roles from non-patents: BIOL (Biological study); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 4 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
RN 577977-67-4 REGISTRY
CN Benzenepropanamide, N,N'-1,4-butanediylbis[α -amino-4-hydroxy-2,6-dimethyl-, (α S, α 'S)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C26 H38 N4 O4
CI COM
SR CA
LC STN Files: CA, CAPLUS
DT.CA CAplus document type: Journal
RL.NP Roles from non-patents: BIOL (Biological study); PRP (Properties); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 5 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
RN 577977-65-2 REGISTRY
CN Benzenepropanamide, α -amino-N-[4-[[2S)-2-amino-3-(4-hydroxyphenyl)-1-oxopropyl]amino]butyl]-4-hydroxy-2,6-dimethyl-, (α S)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C24 H34 N4 O4
CI COM
SR CA
LC STN Files: CA, CAPLUS
DT.CA CAplus document type: Journal
RL.NP Roles from non-patents: BIOL (Biological study); PRP (Properties); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 6 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 573703-42-1 REGISTRY
 CN Benzenepropanamide, N,N'-1,8-octanediylbis[α-amino-4-hydroxy-2,6-dimethyl-, (αS,α'S)-, bis(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C30 H46 N4 O4 . 2 C2 H F3 O2
 SR CA
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL
 DT.CA Caplus document type: Journal; Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)
 RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

CM 1


CRN 573703-41-0
 CMF C30 H46 N4 O4

Absolute stereochemistry.



CM 2


CRN 76-05-1
 CMF C2 H F3 O2



2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 7 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 573703-41-0 REGISTRY
 CN Benzenepropanamide, N,N'-1,8-octanediylbis[α-amino-4-hydroxy-2,6-dimethyl-, (αS,α'S)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C30 H46 N4 O4
 CI COM
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA Caplus document type: Journal
 RL.NP Roles from non-patents: BIOL (Biological study); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 8 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
RN 573703-39-6 REGISTRY
CN Benzenepropanamide, N,N'-1,2-ethanediylbis[α-amino-4-hydroxy-2,6-dimethyl-, (αS,α'S)-, bis(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C24 H34 N4 O4 . 2 C2 H F3 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

CM 1


CRN 573703-38-5
CMF C24 H34 N4 O4

Absolute stereochemistry.



CM 2


CRN 76-05-1
CMF C2 H F3 O2



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 9 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 573703-38-5 REGISTRY
 CN Benzenepropanamide, N,N'-1,2-ethanediylbis[α -amino-4-hydroxy-2,6-dimethyl-, (α S, α 'S)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C24 H34 N4 O4
 CI COM
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA Caplus document type: Journal
 RL.NP Roles from non-patents: BIOL (Biological study); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 10 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 573703-36-3 REGISTRY
 CN Benzenepropanamide, N,N'-1,6-hexanediylbis[α -amino-4-hydroxy-2,6-dimethyl-, dihydrochloride, (α S, α 'S)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C28 H42 N4 O4 . 2 Cl H
 SR CA
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL
 DT.CA Caplus document type: Journal; Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)
 RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation); USES (Uses)
 CRN (577977-70-9)

Absolute stereochemistry.




● 2 HCl

3 REFERENCES IN FILE CA (1907 TO DATE)

3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 11 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 573703-34-1 REGISTRY
 CN Benzenepropanamide, α -amino-N-[4-[[(2S)-2-amino-3-(4-hydroxyphenyl)-1-oxopropyl]amino]butyl]-4-hydroxy-2,6-dimethyl-, dihydrochloride, (α S)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C24 H34 N4 O4 . 2 Cl H
 SR CA
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL
 DT.CA Caplus document type: Journal; Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)
 RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation); USES (Uses)
 CRN (577977-65-2)

Absolute stereochemistry.




● 2 HCl

3 REFERENCES IN FILE CA (1907 TO DATE)
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 12 OF 12 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 573703-27-2 REGISTRY
 CN Benzenepropanamide, N,N'-1,4-butanediylbis[α -amino-4-hydroxy-2,6-dimethyl-, dihydrochloride, (α S, α' S)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C26 H38 N4 O4 . 2 Cl H
 SR CA
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL
 DT.CA Caplus document type: Journal; Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)
 RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation); PRP (Properties); USES (Uses)
 CRN (577977-67-4)

Absolute stereochemistry.



● 2 HCl

3 REFERENCES IN FILE CA (1907 TO DATE)
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
177.92	178.13

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 12:03:34 ON 27 AUG 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Aug 2004 VOL 141 ISS 9

FILE LAST UPDATED: 25 Aug 2004 (20040825/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 15

L6 3 L5

=> d 16 1-3

L6 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

AN 2003:610409 CAPLUS

DN 139:164977

TI Preparation of tyrosine alkanediamide derivs. having μ -opioid binding affinity

IN Okada, Yoshio; Tsuda, Yuko; Yokoi, Toshio; Bryant, Sharon D.; Lazarus, Lawrence H.

PA Teikoku Seiyaku Co., Ltd., Japan

SO PCT Int. Appl., 50 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003064375	A1	20030807	WO 2003-JP516	20030122
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US 2003171302	A1	20030911	US 2002-58192	20020129
PRAI	US 2002-58192	A	20020129		
OS	MARPAT 139:164977				

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 2003:459812 CAPLUS
 DN 139:173182
 TI Unique High-Affinity Synthetic μ -Opioid Receptor Agonists with Central-
 and Systemic-Mediated Analgesia
 AU Okada, Yoshio; Tsuda, Yuko; Fujita, Yoshio; Yokoi, Toshio; Sasaki, Yusuke;
 Ambo, Akihiro; Konishi, Ryoji; Nagata, Mitsuhiro; Salvadori, Severo;
 Jinsmaa, Yunden; Bryant, Sharon D.; Lazarus, Lawrence H.
 CS Faculty of Pharmaceutical Sciences, Department of Medicinal Chemistry and
 High Technology Research Center, Kobe Gakuin University, Nishi, Kobe,
 651-2180, Japan
 SO Journal of Medicinal Chemistry (2003), 46(15), 3201-3209
 CODEN: JMCMAR; ISSN: 0022-2623
 PB American Chemical Society
 DT Journal
 LA English
 OS CASREACT 139:173182

RE.CNT 41 THERE ARE 41 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 2003:449478 CAPLUS
 DN 140:128650
 TI Design of opioid-mimetics: dimerization of 2', 6'-dimethyl-L-tyrosine
 AU Tsuda, Yuko; Fujita, Yoshio; Miyazaki, Anna; Shiotani, Kimitaka; Fujisawa,
 Yutaka; Yokoi, Toshio; Li, Tingyou; Ambo, Akihiro; Sasaki, Yusuke; Bryant,
 Sharon D.; Lazarus, Lawrence H.; Okada, Yoshio
 CS Faculty of Pharmaceutical Sciences, Kobe Gakuin University, Nishi-ku,
 Kobe, 651-2180, Japan
 SO Peptide Science (2003), Volume Date 2002, 39th, 105-108
 CODEN: PSCIFQ; ISSN: 1344-7661
 PB Japanese Peptide Society
 DT Journal
 LA English

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT